



APC[®]

ALAZHAR Paints Company



About Us

Al-Azhar is one of Touba Industrial Group companies founded in 2015 and entered the local markets in 2017. It has been able to gain a prominent position in the development and production of high-quality innovative paints, which are environmental-friendly and designed to meet the needs of a wide range of customers.

Our products are manufactured under the supervision of specialized engineers from the Spanish company.



Alkyd Enamel Paint

High quality coating, Ideal for all concrete, wood and metal surfaces
Alkyd base lasts for years and its various glosses satisfy all tastes. It is a combination of strength, permanence and beauty.




ALKYD ENAMEL PAINT

Features

- Shining whiteness
- High adhesion strength
- Excellent coverage
- Silk smoothness
- Light smell

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

5 Gallons	Gallon	Quart	Quarter
			

Clear Coat

Transparent coating.

Used to protect and polish the wooden surface.

Its various components are additional decorative options, which make the product suitable for all types of wood pieces.



CLEAR COAT





Features

- Excellent adhesion strength
- High resistance to friction and shock
- Fast drying

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

Gallon	Quart	Quarter
		

Alkyd Primer Anti Corrosive

This primer is intended to be applied as the first coat (primer) on prepared metal surfaces. As a rust preventing primer, it is suitable for protection of steel in mild to medium atmospheric corrosive environments for interior and exterior applications.




ALKYD PRIMER ANTI CORROSIVE

Features

- **Matt red color**
- **High adhesion strength**
- **Excellent coverage**
- **Weatherproof**

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

Gallon	Quart	Quarter
		

Sponging Paint (Solvent Base)

Transparent, sticky, decorative and colorable material.

It is used to decorate painted walls, metal surfaces, furniture and wood veneer






SPONGING PAINT (Solvent Base)

Features

- Slow dryness gives sufficient time to
- perform the decorative form
- Excellent adhesion
-

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

Gallon	Quart	Quarter
		

Primer

The ideal choice for processing concrete surfaces before painting or insulating stages because of its permeability and high adhesion strength.




SPONGING PAINT (Solvent Base)

Features

- High adhesion strength
- It is used on the painted surfaces as a base separator

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

5 Gallons	3 Gallons	Gallon
		





Paste

Used to settle and fill cracks in cement surfaces.
Our distinctive structure helps in obtaining high thicknesses so that it does not chap in the future.



Features

- Seamless tide
- Ease of settlement
- Great adhesion

5 Gallons	3 Gallons	Gallon	Quart
			

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

Water Base Under Coat

A water acrylic coating, used as an intermediate layer. Its special structure gives it the ability to unify color, close the pores and gives the surface an ideal smoothness for a final coat layer.






WATER BASE UNDER COAT

Features

- Super adhesion
- Scalability
- Colorable White color

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

5 Gallons	3 Gallons	Gallon
		

Water Base Acrylic



Water paint based on styrene Acrylic water emulsion, used as a final coat layer.



We specially designed it to give beauty and protection to your internal and external surfaces.

Features

- Colors: White / Transparent
- High coverage
- High resistance to washing and friction
- High adhesion strength

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

3 Gallons	Gallon	Quart	Quarter
			

Flat Emulsion

Acrylic frugal paint used in variable factors and surfaces.

Its distinctive properties give it the ability to close pores and leave your surface in perfect appearance.






Features

- Colorable bright white color
- High adhesion strength

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

3 Gallons	Gallon	Quart
		

Siller

Vinyl acetate water emulsion base, used to establish concrete walls
It can also be considered as the basic link to apply the paste manually with the Alsiraj Espadage to get results.






SILLER

Features

- High adhesion strength
- Good flow

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

3 Gallons	Gallon	Quart
		

Roof Coating





Penetrates into the holes and cracks of concrete surfaces. It is an impermeable layer, highly flexible and resistant to extreme climatic changes.



ROOF COATING

Features

- Edge Whitening Agent & transparent
- Excellent adhesion
- Environmentally friendly

5 Gallons	3 Gallons	Gallon	Quart
			

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C





Flooring Tartan

Special floors coating for the sports fields, which gives the surface a wonderful flow. Its excellent performance and superior durability gives the floor a high ability to absorb shocks and resist friction.



Features

- Distinctive colors
- Excellent adhesion
- Easy to implement

5 Gallons	3 Gallons	Gallon	Quart
			

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

Texture

High quality acrylic water base, used to decorate and protect external surfaces. It is available in different sizes of ornamental granules, which can be formed with spray, roll or malage.

TEXTURE

Features

- Excellent adhesion
- Weatherproof

Validity and storage conditions

Two years, provided that within the original packaging at a temperature of 10 - 45 ° C

5 Gallons	3 Gallons	Gallon
		



Our products are manufactured under the supervision of professional engineers from the Spanish company WH Comercio



Contact Us

Damascus - Syria - Tel: 00963 11 69299331/2/3

Mob: 00963 969299333 - Costumer Service: 00963 940444515

apc.paints2016@gmail.com - www.apc-paints.com